	Application No.	Applicant(s)
	10/750,563	SOYFERTIS, MIKHAIL
Notice of Allowability	Examiner	Art Unit
	DHIRU R PATEL	2831
The MAILING DATE of this communication apperall claims being allowable, PROSECUTION ON THE MERITS IS therewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI	(OR REMAINS) CLOSED in this apport or other appropriate communication GHTS. This application is subject to	plication. If not included will be mailed in due course. THIS
1. \boxtimes This communication is responsive to <u>7/29/04</u> .		
2. ☑ The allowed claim(s) is/are <u>1-26</u> .		
3. The drawings filed on <u>30 December 2003</u> are accepted by	the Examiner.	
4.		
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/06 Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☑ Interview Summary Paper No./Mail Dat 8), 7. ☑ Examiner's Amendn 8. ☐ Examiner's Stateme	è <u>0804</u>

Serial Number: 10/750563 Page 2

Art Unit: 2831

Part III DETAILED ACTION

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this Examiner's Amendment was given in a telephone interview with David Benson on 8/12/04.

2. The application has been amended as follows:

In the specification:

Paragraph [0015] line 2, insert -- housing or -- before "boss".

Paragraph [0016] line 3, insert -- terminals or -- before "flanges".

Paragraph [0016] line 5, insert -- terminals or -- before "flanges".

3. David Benson agreed to revise figure 1 to show a substrate disposed inside said container as claimed in claim 10.

Contact information

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dhiru Patel whose telephone number is 571-272-1983. The examiner can normally be reached on Mon-Fri.

Serial Number: 10/750563 Page 3

Art Unit: 2831

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dean Reichard can be reached on 571-272-2800 ext 31. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pairdirect.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll free).

Dhiru Patel

Primary Examiner

Group Art Unit 2831

August 16, 2004

DHIRU R. PATEL